


PV-ezRack®

By Clenergy 

Ascent

Low ballast tilt mounting system for PV installation on flat roofs



Ascent

Low ballast tilt mounting system for PV installation on flat roofs

The PV-ezRack Ascent is a low ballast, south/north facing solution without rails for PV installation on flat roofs. With the special design and a tilt angle of 10° and 15°, PV-ezRack Ascent will be suitable for PV module up to 2180x1100mm, height from 30mm to 46mm.

Main Benefits

Ballast Optimized

Ballast reduction through aerodynamic optimized construction. Also tested in boundary layer wind tunnel by the independent wind tunnel test agency, to achieve optimum ventilation for maximum energy output.

Efficiency


With the click connections between Legs and Bases, no tools are used during the Legs and Bases assembly. The storage space is greatly reduced due to the innovative Rear Leg Extension, thereby saving the cost of warehouse management.

Compatibility

Available with a module length up to 2180mm, widths up to 1100mm, PV-ezRack Ascent offers flexible solutions and suitable for all framed PV panels with height from 30 to 46mm. Power optimizer, micro inverter can be easily accommodated.

Technical Details

Application	Flat roof
Setting Angle	10°/15°
Module Orientation	South/North: Landscape
Module Size	Width: 990-1100 mm Length: 1640-2180 mm Height: 30-46 mm
Snow Load	Customized
Wind Load	Customized
Material	Main Components: AL6005-T5 Wind Deflector: AL5052-H32 Fasteners: SUS 304
Certification	TUV
Standard	Eurocode 0-9 AS NZS1170.2-2011 JISC8955 ASCE 7-10
Warranty	12 years



FL-AC/10 FL-AC/15
Front Leg 10°/15°

Click in installation, manufactured from aluminum offer excellent corrosion resistance.



RL-AC/10
Rear Leg 10°



RLE-AC
Rear Leg Extension

Rear Leg Extension can be easily attached with Rear Leg 10° with a single screw, to achieve 15°.




WD-AC
Wind Deflector

The wind deflector is fixed to the legs, normally installed on the end or side of array for deflecting wind and guaranteeing system stability.



SWD-AC
Side Wind Deflector




EC-M
End Clamp




IC-M
Inter Clamp

The PV-ezRack Inter and End clamps offer a simple, easy to use and robust fixing of the PV panels.



SEB-AC/120
Start and End Base L120



MB-AC/SN
Main Base, South-north

With pre-fitted rubber pad. The Base is not attached to the roof surface to allow for water drainage.



ER-AA-50/XXXX/50
Angle AL

With a simple and robust design, this component efficiently fixes the ballast to the mounting structure.



Innovating renewable energy

Clenergy Australia

1/10 Duerdin Street, Clayton VIC 3168 Australia
Tel: +61 3 9239 8088 Fax: +61 3 9239 8024
E-mail: sales@clenergy.com.au
www.clenergy.com.au

Clenergy China

999-1009 Min'an Rd, Huoju Hi-tech Ind. Dev. Zone
Xiang'an District 361101, Xiamen, Fujian, China
Tel: +86 592 311 0088 Fax: +86 592 599 5028
E-mail: sales@clenergy.com.cn
www.clenergy.com.cn

Clenergy EMEA

Esplanade 41, 20354 Hamburg, Germany
Tel: +49 (0) 40 3562 389 00
E-mail: sales.emea@clenergy.com

Clenergy Japan

Nittochi Yamashita Building 5th Floor
23 Yamashita-cho, Yokohama, 231-0023 Japan
Tel: +81 45 228 8226 Fax: +81 45 228 8316
E-mail: sales@clenergy.co.jp
www.clenergy.jp

Clenergy Philippines

145 Yakal St., San Antonio village, Makati City, Philippines
Tel: +63 977 8407240
E-mail: sales_ph@clenergy.com
www.clenergy.ph

Clenergy Thailand

9/2, 5th Floor, Vorasin Building, Soi Yasooob 2, Vipavadee-Rungsit Road, Chomphon Sub-district, Chatuchak District, Bangkok 10900
Tel: +66 (0) 2 277 5201, +66 (0) 6 3228-0200
E-mail: sales_th@clenergy.com, support_th@clenergy.com
www.clenergythailand.com

Clenergy Singapore

24 Raffles Place #28-01 Clifford Centre Singapore 048621
Tel: +65 9743 1425
E-mail: vincent.chan@clenergy.com

Clenergy Malaysia

Tel: +86 18750231005
E-mail: sales_em@clenergy.com

Clenergy Vietnam

Tel: +86 592 3110095
E-mail: sales_vietnam@clenergy.com;
susie.chen@clenergy.com

Clenergy Korea

Tel: +8210-4684-8088
E-mail: sales.kr@clenergy.com

Worldwide Network



12 Year
Warranty*

Clenergy PV-ezRack Ascent (November 2020)